



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/087,172	03/01/2002	Takaya Konishi	1232-4832	2585

27123 7590 07/01/2003

MORGAN & FINNEGAN, L.L.P.
345 PARK AVENUE
NEW YORK, NY 10154

EXAMINER

DOWLING, WILLIAM C

ART UNIT PAPER NUMBER

2851

DATE MAILED: 07/01/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/087,172

Applicant(s)

KONISHI, TAKAYA

Examiner

William C. Dowling

Art Unit

2851

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 April 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Art Unit: 2851

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 13-14, 16-25 are rejected under 35 U.S.C. 102(e) as being anticipated by Fielding et al. (6,250,763).

Fielding et al. disclose a projection display arrangement comprising:

a projection unit (409);

optical means, including a prism arrangement and digital mirror device which splits incident light into light which travels to the projection unit and light which is sent to a beam dump remote from the other optical components.

As noted in column 5 Lines 47-54, the beam dump may be comprised of black absorbing material including a heat sink. The heat sink may further be attached to additional heat dissipation components. As best as the holding member may be

Art Unit: 2851

interpreted from the claims, the device of Fielding inherently comprises housing for mounting components with a portion "holding" the projection member. The remote location of the beam dump allows for the interspaced air as well as the prism unit to perform heat insulation function between the light absorbing member and the projection lens.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-12, 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fielding et al.

Fielding et al. discloses the invention substantially as claimed but does not specify materials of the holding apparatus.

Fielding does state that the light receiving member may be a black absorbing material such as glass, or partially copper.

Although the inherent holding means is not specified it is well known the form housing from material other than glass or copper, such as plastics or other metallic materials. As such

Art Unit: 2851

the limitations of claims 1 and 15 would have been an obvious choice in design based upon accepted practice.

Response to Arguments

4. Applicant's arguments filed 4/21/2003 have been fully considered but they are not persuasive.

Applicant's statement that Fielding does not teach an optical device which divides light into image light which travels to a projection unit and unnecessary light which travels outside the projection unit is unpersuasive and presents no evidence in support of it. Further, it is deemed to be an incorrect statement because Figure 4 clearly illustrates the separation of modulated and discarded lights.

Optical elements clearly have "holding means" for all elements because the elements can not float in space. The term "independent" is relative. The applicant's device is also an integral structure and not "independent" under applicant's interpretation. The claims are interpreted broadly.

Applicant's reliance on figures 3 and 6(b) as showing an opening to support claim 13 is unpersuasive since no such language is present in the claims.

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is

Art Unit: 2851

reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Dowling whose telephone number is 703-308-1287. The examiner can normally be reached on Mon.-Thurs.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Russ Adams can be reached on 703-308-2847. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-7723 for regular communications and 703-305-7723 for After Final communications.

Application/Control Number: 10/087,172

Page 6

Art Unit: 2851

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-3431.


William C. Dowling
Primary Examiner
Art Unit 2851

wcd
June 30, 2003